

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants – MA & UD Department – Allegation of certain irregularities committed by Sri N.Nirmal Prasad, former Assistant Engineer of Chilakaluripet Municipality, Guntur District – out of three charges two charges held not proved by the Inquiry Authority - Further action dropped – Orders issued.

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT(VIG.IV.1)DEPARTMENT

G.O.Rt.No. 976

Dated: 14-07-2009

Read the following:

- Ref: 1. G.O.Rt.No.331, MA & UD Dept., Dated 25.03.2004
2. G.O.Rt.No.785, MA, dated 24.07.2004
3. From the Inquiry Authority, Lr.No.22C/Estt/EC/2004,
Dated 19.12.2008

ORDER:

On receipt of a report from the competent authority that Sri N.Nirmal Prasad, former Assistant Engineer, Chilakaluripet Municipality, Guntur District has committed certain irregularities in purchase of S.V.Lams fixtures at higher rates and failed to remit the balance amount of Rs. 69,900/- towards advance taken by him for the execution of various works and kept with him without got adjustment to the Municipal funds. The following charges were framed against him in the G.O.1st read above.

1. That Sri N.Nirmal Prasad, Assistant Engineer has taken advances for works and submitted bills with abnormal delay to a tune of Rs.3,27,283/- and they were not adjusted.
2. That Sri N.Nirmal Prasad, Assistant Engineer failed to submit the bills relating to works advances for Rs.69,900/- and failed to remit the amount in the case counter of the Municipality.
3. That Sri N.Nirmal Prasad, Assistant Engineer in collusion with Smt. P.Nagaveni, Municipal Commissioner, purchased lamps at Excess rates that the prevailing local market rates and thereby Caused pecuniary loss of Rs.1,00,000/- to the Municipality.
2. Subsequently Sri C.Rama Rao, Superintending Engineer(PH),Quality Control Circle, Guntur has been appointed as Enquiry Officer to conduct enquiry into the charges against Sri N.Nirmal Prasad, former Assistant Engineer of Chilakaluripet Municipality under Rule 20(2) of APCS(CCA) Rules, 1991 in the G.O.2nd read above.
3. The Inquiry Authority in his report 3rd read above has reported that out of (3) charges, only one charge held proved against Sri N.Nirmal Prasad, former Assistant Engineer of Chilakaluripet Municipality.
4. Government have examined the report of the Enquiry Officer, and decided to accept his report and to drop all further action against Sri N.Nirmal Prasad, former Assistant Engineer of Chilakaluripet Municipality on the charges framed in the G.O. 1st read above.
5. Accordingly, Government drop all further action against Sri N.Nirmal Prasad, former Assistant Engineer of Chilakaluripet Municipality on the charges framed in the G.O. 1st read above.

(P.t.o)

:: 2 ::

6. The Engineer-in-Chief (Public Health), A.P. Hyderabad shall take necessary action.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.C.V.S.K.SARMA
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri N.Nirmal Prasad, former Assistant Engineer, Chilakaluripet Municipality, Guntur District, through Engineer-in-Chief(Public Health), A.P. Hyderabad

Copy to:

The Engineer-in-Chief(Public Health), A.P. Hyderabad
The Director General, Anti Corruption Bureau, Hyderabad
The Secretary, A.P. Vigilance Commission, Hyderabad.
The MA&UD(A) Department

//FORWARDED BY ORDER//

SECTION OFFICER